

Assembly and Operating Instructions









FSCSTEX80.03.01

Art. No. CST-EX80-3

Content

1	GENERAL INFORMATION	8
1.1	Technical Data	8
1.2	Personal Safety	9
1.3	Electrical Safety	10
1.4	Set-Up Place	11
2	ASSEMBLY	12
2.1	General Instructions	12
2.2	Scope of Delivery	13
2.3	Assembly	14
3	OPERATING INSTRUCTIONS	25
3.1	Console Display	25
3.2	Button functions	27
3.3	Turning on and setting the equipment	28
3.4	Programmes	29
3.4.1	MAN Manual program	30
3.4.2	PROG - Pre-set programmes	30
3.4.3	USER - User defined program	32
3.4.4	H.R.C Heart rate oriented programs	33
3.4.5	WATT - Watt controlled program	34
3.5	RECOVERY - Fitness test	35
3.6	Heart-rate measuring	36
4	STORAGE AND TRANSPORT	38
4.1	General Instructions	38
4.2	Transportation Wheels	38
5	TROUBLESHOOTING, CARE AND MAINTENANCE	39
5.1	General Instructions	39
5.2	Faults and Fault Diagnosis	39
5.3	Error Codes and Troubleshooting	40
5.4	Maintenance and Inspection Calendar	41
6	DISPOSAL	41
7	RECOMMENDED ACCESSORIES	42
8	ORDERING SPARE PARTS	43

8.1	Serial Number and Model Name	43
8.2	Parts List	44
8.3	Exploded Drawing	47
9	WARRANTY	49
10	CONTACT	51

Dear customer,

thank you for choosing fitness equipment from cardiostrong®. cardiostrong offers high-quality home fitness equipment that is optimally adapted to the conditions at home. Train at home no matter what the weather or time of the day. cardiostrong fitness equipment offers training programmes and a variety of equipment for all training levels and all training goals.

Further information can be found at www.fitshop.com or www.cardiostrong.de. We hope you enjoy your training!

Intended Use

The equipment may only be used for its intended purpose.

The equipment is only suitable for home use. The equipment is not suitable for semi-professional (e.g. hospitals, associations, hotels, schools, etc.) and commercial or professional use (e.g. fitness studios).

Legal Notice

Fitshop GmbH Europe's No. 1 for home fitness

International Headquarters Flensburger Straße 55 24837 Schleswig Germany Management:

Christian Grau

Sebastian Campmann

Dr. Bernhard Schenkel

No. HRB 1000 SL

Local Court Flensburg

European VAT Number: DE813211547

Disclaimer

© cardiostrong is a registered brand of the company Fitshop GmbH. All rights reserved. Any use of this trademark without the explicit written permission of Fitshop is prohibited.

Product and manual are subject to change. Technical data can be changed without advance notice.



Europe's No.1 for Home Fitness

ABOUT THIS MANUAL

Please carefully read the entire manual before installation and first use. The manual will help you to quickly set up the system and explains how to safely use it. Make sure that all persons exercising with the equipment (especially children and persons with physical, sensory, mental or motor disabilities) are informed about this manual and its contents in advance. In case of doubt, responsible persons must supervise the use of the equipment.

Due to ongoing changes and software optimisations, the manual may have to be updated. If you notice any discrepancies during assembly or use, please refer to the manual uploaded to the webshop. The latest manual is always available there.



This equipment has been manufactured according to the latest safety knowledge. As far as possible, potential safety hazards which could cause injury have been eliminated. Make sure to carefully follow the instructions and that all parts are securely in place. If required, read through the instructions again to correct any mistakes.

Training devices must be classified according to accuracy and use. Accuracy classes are only applicable to devices that display training data.

Accuracy classes

Class A: high accuracy.

Class B: medium accuracy.

Class C: low accuracy.

The use classes explain the intended use of the training device.

Use classes

Class S (studio): professional and/or commercial use.

These training devices are intended for the use in training rooms of facilities such as sports clubs, school facilities, hotels, clubs and studios whose access and supervision is specifically regulated by the owner (person with legal responsibility).

Class H (home use): use at home.

These stationary training devices are intended for the use in private homes where access to the training device is regulated by the owner (person with legal responsibility).

Please pay close attention to the safety and maintenance instructions given here. The contract partner cannot be held liable for damage to health, accidents or damage to the equipment when it is not used in accordance with these instructions.

The following safety instructions may appear in this manual:

ATTENTION

This notice indicates potentially hazardous situations which, if not avoided, may result in property damage.

CAUTION

This notice indicates potentially hazardous situations which, if not avoided, may result in slight or minor injuries!

↑ WARNING

This notice indicates potentially hazardous situations which, if not avoided, may result in death or serious injuries!

↑ DANGER

This notice indicates potentially hazardous situations which, if not avoided, will result in death or serious injuries!

(i) NOTICE

This notice indicates further useful information.

Retain these instructions in a safe place for future reference, maintenance or when ordering replacement parts.

1.1 Technical Data

LCD display of

- + speed in km/h
- + training time in min
- + training distance in km
- + cadence (rotations per minute)
- + calories burnt in kcal
- + heart rate (when using the hand sensors or a chest strap)
- + Watt
- + resistance level

Resistance system: electronic magnetic brake system

Resistance level: 16

Wattage

Adjustable wattage in the watt programme: 10–40 Watt (adjustable in 5-Watt increments)

Min. and max. watt at 60 RPM: 82-430 W (Load 1 to 16)
Min. and max. watt at 100 RPM: 158-734 W (Load 1 to 16)

User memory:4Quick Start programmes:1Manual programmes:1Pre-set programmes:12

User-defined programmes: 1 (per user)

Watt-controlled programmes: 1
Heart rate controlled programmes: 4

Balance mass: 12 kg
Step width: 11 cm
Step length: 46 bis 66 cm

Weight and dimensions:

Article weight (gross, incl. packaging) approx.: 124 kg
Article weight (net, without packaging) approx.: 110 kg

Packaging dimensions (L x W x H) approx.: 142 cm x 115 cm x 50 cm Set-up dimensions (L x W x H) approx.: 159 cm x 85 cm x 163 cm

Maximum user weight: 150 kg/330 lbs

Use class:

1.2 Personal Safety

↑ DANGER

- + Before you start using the equipment, you should consult your physician that this type of exercise is suitable for you from a health perspective. Particularly affected are persons who: have a hereditary disposition to high blood pressure or heart disease, are over the age of 45, smoke, have high cholesterol values, are overweight and/or have not exercised regularly in the past year. If you are under medical treatment that affects your heart rate, medical advice is absolutely essential.
- + Note that excessive training can seriously endanger your health. Please also note that heart rate monitoring systems can be inaccurate. If you notice any signs of weakness, nausea, dizziness, pain, shortness of breath, or other abnormal symptoms, stop exercising immediately and seek advice from your doctor if necessary.
- + The owner must communicate all warnings and instructions to the user.

↑ WARNING

- + This equipment may not be used by children under the age of 14.
- + Children should not be allowed unsupervised access to the equipment.
- + Persons with disabilities must have a medical license and must be under strict observation when using the equipment.
- + Remember that your device does not have a freewheel function. Therefore moving parts cannot be stopped immediately.
- + Note that the individual physical power required to perform an exercise may differ from the displayed mechanical power.
- + When ascending and descending, make sure that one of the treads is in the lowest position.
- + The equipment is strictly for use by one person at a time.
- + Keep your hands, feet and other body parts, hair, clothing, jewellery and other objects well clear of moving parts.
- + During use, wear suitable sports clothing rather than loose or baggy clothing. When wearing sports shoes, make sure they have suitable soles, preferably made of rubber or other non-slip materials. Shoes with heels, leather soles, studs or spikes are unsuitable. Never exercise barefoot.

CAUTION

- + If your equipment needs to be connected to the power supply with a mains cable, make sure that the cable is not a potential tripping hazard.
- + Make sure that nobody is within the range of motion of the equipment during training so as not to endanger you or other persons.
- + Do not insert any objects of any kind into the openings of the device.
- + Be aware that if adjustment devices are left protruding, they may impede the user's movement.

1.3 Electrical Safety

↑ DANGER

+ In order to reduce the risk of an electric shock, always unplug the equipment from the mains socket immediately after your workout, before assembly or dismantling, and before maintenance or cleaning. Do not pull on the cable.

↑ WARNING

- + Do not leave the equipment unattended while the mains cable is plugged into the mains socket. During your absence, the mains cable must be removed from the mains socket to prevent improper use by third parties or children.
- + If the mains cable or plug is damaged or defective, contact your contract partner. Until repair, the equipment must not be used.

ATTENTION

- + The equipment requires a mains connection of 220-230 V with 50 Hz mains voltage.
- + The equipment may only be connected directly to an earthed socket using the supplied mains cable. Extension cables must conform to VDE guidelines. Always completely unwind the mains cable.
- + The socket must be protected by a fuse with a minimum fuse rating of "16 A, slow blow".
- + Do not make any changes to the mains cable or the mains plug.
- + Keep the mains cable away from water, heat, oil and sharp edges. Do not route the mains cable underneath the equipment or under a carpet or rug, and do not place any objects on top of it.
- + If your purchased item is equipped with a TFT console, software updates must be carried out regularly. Follow the instructions on the console to perform the update(s).
- + The software systems on gym equipment with TFT consoles are set up only for the preinstalled apps. Do not install any additional apps.

(i) NOTICE

+ The pre-installed apps on TFT consoles are produced and provided by external manufacturers. Fitshop does not take any responsibility for the availability, functionality or contents of these apps.

1.4 Set-Up Place

↑ WARNING

+ Do not place the equipment in main corridors or escape routes.

CAUTION

- + Choose a location in which to place the equipment such that there is enough free space/ clearance to the front, the rear and to the sides of the equipment.
- + The training room should be well ventilated during training and not be exposed to any draughts.
- + Choose the place in which to set up the equipment such that there is enough free space/ clearance to the front, the rear and to the sides of the equipment.
- + The free area in the direction from which the exercise equipment is accessed must be at least 0.6 m larger than the exercise area.
- + The set-up and mounting surface of the equipment should be flat, loadable and solid.

ATTENTION

- + The device may only be used in one building, in sufficiently tempered and dry rooms (ambient temperatures between 10°C and 35°C). The equipment should not be used outdoors or in rooms with high humidity (over 70%) like swimming pools.
- + A floor protective mat/equipment underlay can help to protect high-quality floor coverings (parquet, laminate, cork, carpets) from dents and sweat and can help to level out slight unevenness.
- + For Class S equipment, the exercise equipment may only be used in areas where access, supervision and control are specifically regulated by the owner.

2.1 General Instructions

M DANGER

+ Do not leave any tools, packaging materials such as foils or small parts lying around, as otherwise there is a danger of suffocation for children. Keep children away from the equipment during assembly.

↑ WARNING

+ Pay attention to the instructions attached to the equipment in order to reduce the risk of injuries.

CAUTION

- + Ensure to have sufficient room for movement in each direction during assembly.
- + The assembly of the equipment must be carried out by at least two adults. If in doubt, seek the help of a third technically skilled person.

ATTENTION

+ To prevent damage to the equipment and the floor, assemble the equipment on a mat or packaging board.

(i) NOTICE

- + In order to make the assembly as simple as possible, some screws and nuts to be used can already be pre-assembled.
- + Ideally, assemble the equipment at its later set-up place.


EX80 =

2.2 Scope of Delivery

The scope of delivery consist of the following parts. At the beginning, check whether all parts and tools belonging to the device are included in the scope of delivery and whether damage has occurred. In the event of complaints, the contractual partner must be contacted directly.

CAUTION

If parts of the scope of delivery are missing or damaged, the assembly must not be carried out.



2.3 Assembly

Before assembly, take a close look at the individual assembly steps shown and carry out the assembly in the order given.

(i) NOTICE

- + First loosely screw all parts together and check that they fit properly. Tighten the screws using the tool only when you are instructed to do so.
- + If you have difficulty recognising the graphics, we recommend that you open and/or download the PDF instructions stored in the webshop on your end device (e.g. smartphone, tablet or PC). There you have the option of zooming in closer. Please note that the Adobe Acrobat Reader programme must be installed on your end device in order to open the file.


Step 1: Unpacking

1. Place the box flat on the floor and remove the lid of the box.

(i) NOTICE


If no box is existing, continue with step 2.

- 2. Remove the upper polysterene (1) and (2)
- 3. Unpack handle bars (E), supporting tubes (B) and connection tubes (C).
- 4. Leave the main frame (A) and the lower polysterene in the box until you are asked to unpack them in step 3 of the assembly.
- 5. Remove the console (G) and the console supporting tube (D), screws and tools.
- 6. Cut the box on all four corners with a cutter knife.
- 7. Place all parts at the training location.



Step 2: Assembly of the Central Supporting Tube

- 1. Remove the two pre-assembled screws (F5) from the main frame (A).
- 2. Remove the two pre-assembled screws (F5) from the central supporting tube (F1).
- 3. Mount the central supporting tube (F1) to the main frame (A) using the previously removed screws (F5)
- 4. Loosely tighten the screws.




Step 3: Assembly of the Right Side Connecting tube

- 1. Mount the right side connecting tube (C2) to the main frame (A) using a screw (P4), see view A.
- 2. Mount the right side connecting tube (C2) along with the iron bracket (F2) to the bottom of the main frame (A) using two screws (J2), see view B.

(i) NOTICE


Insert the polystyrene parts before setting up the fitness equipment if there was no box.

- 3. Lift up the main frame (A) and set up the fitness equipment.
- 4. Remove the polysterene, see lower figure.




Step 4: Assembly of the Left Connecting Tube and Joint Covers

- 1. Mount the left connecting tube (C1) to the main frame (A) using one screw (P4).
- 2. Mount the left connecting tube (C1) to the iron bracket (F2) on the bottom of the main frame (A) using two screws (J2).
- 3. Tighten all screws from the steps before.
- 4. Remove the two pre-assembled screws (F6) from the central supporting tube (F1).
- 5. Mount the joint covers (F3 & F4) to the central supporting tube (F1) using the previously removed screws (F6).



Step 5: Assembly of the Pedal Supporting Tubes


- 1. Mount the right pedal supporting tube (B2) to the top of the main frame (A) using one screw (J3), one washer (J9) and one nut (J4), see view C.
- 2. Mount the right pedal supporting tube (B2) to the bottom of the main frame (A) using one screw (J5), one washer (J9) and one nut (J4), see view D.
- 3. Completely tighten the screws and nuts one after the other, see views C, D and E.
- 4. Repeat the steps for the left side.



EX80 =

Step 6: Assembly of the Handle Bars

- 1. Remove the three pre-assembled screws (J10 & J11) from the left handle bar (E1), see view F.
- 2. Mount the left handle bar (E1) to the main frame (A) using the previously removed screws (J10 & J11).
- 3. Repeat the steps for the other side.



Step 7: Assembly of the Console Supporting Tube and the Bottle Holder

ATTENTION


Pay attention to not pinch the cables during the next step.

1. Connect the cable of the console supporting tube (D1) to the cable of the main frame (A1) until you hear a click sound.

(i) NOTICE

Do not remove the pre-assembled screws.

- 2. Loosen the two pre-assembled screws (J1) at the main frame (A).
- 3. Mount the console supporting tube (D) to the main frame (A): Hand tighten both pre-assembled screws (J1) and the other two screws (J1), see view G.
- 4. Mount the bottle holder (H) to the main frame (A) using two screws (J6).
- 5. Tighten all screws.



EX80 =

Step 8: Assembly of the Console

- 1. Remove the four pre-assembled screws (G1) on the back of the console (G).
- 2. Connect the wires of the console (G) to the sensor wire (D1) and the hand pulse wire (D3).

ATTENTION


Pay attention to not pinch the cables during the next step.

3. Carefully push the wires into the cover and mount the console (G) to the console supporting tube (D) using the for previously removed srews (G1).

Step 9: Alignment of the feet

If the floor is uneven, you can stabilize the equipment by turning the two setting screws under the main frame.

- 1. Lift the equipment on the desired side and rotate the setting screws under the main frame.
- 2. Rotate the screws clockwise in order to remove them and to raise the equipment.
- 3. Rotate them counterclockwise in order to lower the equipment.



Step 10: Connecting the Equipment to the Mains Supply


ATTENTION

The equipment must not be connected to a multiple socket, otherwise it cannot be guaranteed that the equipment will be supplied with sufficient power. Technical errors can result.

- 1. Plug the cable (I) into the socket on the main frame (A).
- 2. Plug the power plug into a wall outlet that complies with the instructions in the chapter on electrical safety.

(i) NOTICE

The overload switch protects from short circuits. The button jumps out in case of overload. Turn the power switch off and then on again to restart the equipment.



EX80 =


Step 11: Setting the stride length

There are five different stride lengths (66 cm, 61 cm, 56 cm, 51 cm, 46 cm).

↑ WARNING

Do not adjust the stride length while standing on the device. Always adjust the stride length at the same length on both sides.

- Loosen and pull the pin out and adjust the desired stride length. 1.
- Release the pin at the desired height and retighten the pin. 2.
- Repeat the steps for the other side. 3.



Correctly Getting On and Off

- 1. To get on, grip the handles with both hands and first step onto the left pedal with your left foot or onto the right pedal with your right foot and then place your foot onto the other pedal.
- 2. To get off, grip the handles with both hands and place one foot next to the equipment and then the other foot.

NOTICE

- + Familiarise yourself with all the functions and setting options of the device before starting training. Have the proper use of this product explained to you by a specialist.
- + Always start your training with low intensity and increase evenly and gently. End your training with a cool-down phase. If you are unsure, please consult your physician.

3.1 Console Display



Time	0:00 - 99:00 minutes
Speed	0.0 - 99.9 km/h
RPM (cadence; rotations per minute)	0 - 999 RPM
Distance	0.0 - 99.9 km
Calories	0 - 990 Cal
Gender	Male/Female (m/f)
Pulse (heart rate; heart beats per minute)	30 - 230 BPM
Heart rate symbol	On/off - blinking
Programmes	P1 - P12
User data	U1 - U4
Watt/load (power/resistance)	0 - 999 Watt; Watt control: 10 - 400 Watt
Level	1 - 16
H.R.C. (heart rate control)	55 / 75 / 90% of the max. heart rate; manual target rate (TAG)
Age	1 - 99 years
Height	100 - 250 cm
Weight	20 - 150 kg (44 – 330 lbs)


3.2 Button functions

ENTER	TURNING KNOB RIGHT	With this button, you can change the settings or increase the resistance.
	TURNING KNOB LEFT	With this button, you can change the settings or lower the resistance.
	TURNING KNOB ENTER	With this button, you can confirm all settings.
START STOP		With this button you can start and stop the training.
RESET	RESET	With this button, you can reset the current settings and return to the beginning.
RECOVERY	RECOVERY	With this button, you can execute the fitness test after training.

3.3 Turning on and setting the equipment

Connect the power cable with the console and press the RESET button for two seconds. An alarm will sound for two seconds and the specification 78.0 will be displayed in the lower left window (see figure 1 and 2).

The console has four user accounts (U1 - U4). Rotate the adjusting knob in order to select a user 1 - 4 and press ENTER to confirm (see figure 3 and 4). Use the adjusting knob or the ENTER button to execute the settings for SEX (select male or female), AGE (age in years), HEIGHT (height in cm) and WEIGHT (weight in kg) (see figure 5 - 8).



3.4 Programmes

Once you have entered all values, you can select one of the five program categories with the control knob (see figure 9-13). The equipment has a total of 19 programmes and a fitness test.

Manual (manual training):	1
Program (pre-set training program):	12
 User Setting (user-defined training program): 	1
• H.R.C. (heart rate controlled training programmes):	4
• W (Watt-controlled training program):	1
• Recovery (fitness test):	1














Figure 12

Figure 13

Quick Start

For the quick start, press the START/STOP button and the training will start (this will automatically take you to the manual program). You can adjust the resistance during training. Press the START/ STOP button again to stop the training.

3.4.1 MAN. - Manual program

After you have selected the manual program and confirmed with ENTER, you can enter the values for the intensity level (1-16), time, distance, calories and pulse with the control knob. If you enter a target value for time, distance and calories, the training will stop automatically once you have achieved one of these target values. If you would just like to train according to one of these values, you simply have to enter the desired target value - you do not have to enter all other values. If you enter a target pulse, an alarm will sound once this pulse has been exceeded. The acoustic signal first stops once your pulse is no longer higher than the target pulse. Press the ENTER button after every setting in order to confirm. Once you have entered all values (or the selected value), press the START/STOP button to start the training. The resistance level can be adjusted during training. As soon as you hold the RESET button for a longer period of time, the console will return to the program selection.


Procedure for setting the manual programmes:

Set program mode	e Set resist	Set resistance		Specification of training data		
ENTER OF THE PROPERTY OF THE P	TER SO	ENTER	ENTER	ENTER	START	
	ess Turn left or right	Press Enter	Turn left or right	Press Enter	Press Start/Stop	

3.4.2 PROG - Pre-set programmes

Use the control knob to select one of the pre-set training programmes P1-P12. Confirm the selection with the ENTER button. Now enter the training time and press ENTER to confirm. Then you can press the START/STOP button to start the training. The resistance level can be adjusted during training. The set time will run backwards after the beginning of training. As soon as the countdown reaches zero, the screen will start to blink and a signal will sound. Press any button to turn off the acoustic signal.

Profiles from preset training programmes:



Procedure for setting the preset training programmes:

Set program mode		Set program mode Select program P1-P12		Specification of the training time		
ENTER	ENTER	ENTER	ENTER G	ENTER O O	ENTER O	START
Turn left or right	Press Enter	Turn left or right	Press Enter	Turn left or right	Press Enter	Press Start/Stop

3.4.3 USER - User defined program

Once you have selected the program, you can manually set each of the 20 sections of the profile with the control knob. For each section, select an intensity level between 1-16, confirm the setting with ENTER and continue with the next section. You can see which section you are currently in by the blinking of the section. Once you have determined all 20 sections, hold ENTER for two seconds in order to continue entering the time. As soon as you have entered the value, press the START/STOP button to start the training. The resistance level of the respective section can be adjusted again during the training. The user-defined program is saved after a setting is made in the selected user account. If you press the RESET button during the profile setting, the console will return to the program selection. The set time will run backwards after the beginning of training. As soon as the countdown reaches zero, the screen will start to blink and a signal will sound. Press any button to turn off the acoustic signal.

Procedure for setting the user-defined program:

Set progra	m mode	Set resistance	Press for two seconds	Specification training tin	
ENTER .	ENTER .	ENTER	ENTER	ENTER O O	START
Turn left or right	Press Enter	Turn left or right	Press Enter, repeat the process 20 times until all segments are set	Turn left or right	Press Start/Stop

3.4.4 H.R.C. - Heart rate oriented programs


↑ WARNING

Your training equipment is not a medical device. The heart rate measurement of this equipment may be inaccurate. Various factors can affect the accuracy of the heart rate measurement. The heart rate measurement serves only as a training aid.

After you have selected the program, you can enter the desired target heart rate. Either select one of the three target heart rates (55%, 75% or 90% of your maximum heart rate) or select "TAG" and enter a target heart rate. The console determines your maximum heart rate based on your age (which you entered in the user account). Confirm the setting with the ENTER button. After this, you can enter the training time with the control knob and press START/STOP to start training. The set time will run backwards after the beginning of training. An alarm will sound if you exceed the set target heart rate. The acoustic alarm will first stop once your heart rate has reached the set limit again. If you remain outside of the set rate for a longer period of time, the program will stop automatically. As soon as the countdown reaches zero, the screen will start to blink and a signal will sound. Press any button to turn off the acoustic signal. The console has an integrated heart rate receiver. The heart rate can be measured through hand pulse sensors; however, heart rate measuring with a chest strap is recommended, because this measuring technique provides significantly more precise values.

Note:

If a heart rate signal is not received for five seconds, a heart symbol with a question mark will appear. This extinguishes as soon as a HR signal is received again.



Procedure for setting the heart rate oriented program:

Set prograi	m mode	Set training heart rate		Specification of the training time	
ENTER O O	ENTER	ENTER	ENTER G	ENTER	START
Turn left or right	Press Enter	Turn left or right	Press Enter	Turn left or right	Press Start/Stop

3.4.5 WATT - Watt controlled program

If you selected the program, use the control knob to enter the desired watt value that you would like to train with between 10 and 350 Watt. The preset value is 120 Watt. Confirm the setting with the ENTER button. Then you can enter the training time. Confirm your setting with the ENTER button. As soon as you have entered all values, press the START/STOP button to start the training. The set time will run backwards after the beginning of training. As soon as the countdown reaches zero, the screen will start to blink and a signal will sound. Press any button to turn off the signal. You can use the control knob to adjust the wattage while training. The following three symbols show you if the wattage or the speed should be increased or lowered:



The current wattage is more than 25% above the set wattage - the user should reduce the speed.



The current wattage is in the range of the set wattage - the user should maintain the speed.



The current wattage is more than 25% below the set wattage - the user should increase the speed.

Procedure for setting the Watt-controlled programs:

Program se	Program settings Setting the wattage		Specification of the training time		
PROG (*) OFFER (*) O	ENTER . O	350 + (************************************	ENTER O	ENTER . G	START
Turn left or right	Press Enter	Turn left or right	Press Enter	Turn left or right	Press Start/Stop

3.5 RECOVERY - Fitness test

With this button, you can measure your recovery heart rate after training. After training, press the RECOVERY button and hold the hand pulse sensors if you are not wearing a chest strap. After this, a one-minute countdown will start. Only the countdown and the heart rate will be shown during this time. Once the minute is over, the console determines a fitness grade between F1-F6 based on your heart rate.

Result	Fitness level
F1	Very good
F2	Good
F3	Average
F4	Sufficient
F5	Poor
F6	Very poor



Press the RECOVERY button again in order to return to the main menu.

General note:

If you stop pedaling for more than four minutes, the console will change into power saving mode. All settings and training data will be saved until the next training is started.

3.6 Heart-rate measuring

Pulse measuring via hand sensors

The hand sensors integrated in the handles allow you to determine your heart rate. You can measure your heart rate by lightly grasping the sensors with both hands at the same time. Blood pressure changes occur due to the heartbeat. The sensors measure the changes to the electric skin resistance caused by it. These values are then used to create an average and are displayed on the screen of the console as a heart rate.

Note:

For some people, the skin resistance change caused by the heart rate is so minimal that the measurements do not allow for usable values. Strong callus or sweat on the hands may also impair a correct measurement. In such cases, the heart rate will not be shown at all or only incorrectly.

If the measurement is incorrect or not taken at all, please check if it happens to only one person or to several people. If the pulse display only does not work in a single case, the equipment is not defective. In this case, we recommend using a chest strap to achieve a permanently correct heart rate display.

CAUTION

Your training equipment is not a medical device. Different factors may influence the accuracy of the heart rate display. The heart rate display only serves as a training aid.

Telemetric heart rate measuring

This elliptical cross trainer is already equipped with a heart rate receiver as standard. Using a chest strap makes it possible for you to have a wireless heart rate measuring. This optimal and ECG-precise type of measuring reads the heart rate directly from the skin through a transmitting chest strap. The chest strap then sends the impulse to the receiver integrated in the console.

Positioning the chest strap and moistening the electrodes:

Place the belt directly below the chest, while the transmitter should be placed on the middle of the chest. The chest strap should sit comfortably, but not too loose. If the belt is too loose, the contact to the electrodes may be disrupted or the belt may slip while exercising. The transmitter turns on automatically once it is put on. In order to allow for a precise measuring, you should moisten the rubber electrodes. This is best done with a special chest strap contact gel, which is also used for ultrasound scans.

Note:

If you have not been active in doing sports for a longer period of time, you should first go to your physician in order to discuss your training with them. You should also contact your physician in advance in the event of heart problems, high/low blood pressure and obesity.

Training with heart rate orientation

Heart rate orientation guarantees an extremely effective and healthy training. Through your age and the following table, you can quickly and easily read and determine the optimal pulse for your training. An acoustic alarm will sound if your heart rate exceeds the set target heart rate. Which target heart rate is important for which training goal can be found out in the following.

Fat burning (weight management):

The main goal here is to burn deposits of fat. In order to achieve this training goal, a low training intensity (approximately 55% of the maximum heart rate) and a longer training period are required.

Cardiovascular training (cardio training):

The primary goal is to increase stamina and fitness through an improved provision of oxygen through the cardiovascular system. In order to achieve this training goal, medium intensity (approximately 75% of the maximum heart rate) with a medium training period is required.


Anaerobic (maximum) load training:

The main goal of maximum load training is to improve recovery after short, intense loads in order to be able to quickly return to the aerobic zone. In order to achieve this training goal, a high intensity (approximately 90% of the maximum heart rate) with short, intense load is required, which is followed by a recovery phase in order to prevent muscle fatigue.

Example:

For a 45-year-old man or woman, the maximum heart rate is 175 (220 - 45 = 175).

- The fat burning target zone (55%) is at approximately 96 beats/min.
- $= (220 age) \times 0.55.$
- The cardio target zone (75%) is at approximately 131 beats/min.
- $= (220 age) \times 0.75.$
- The maximum heart rate for an anaerobic load training (90%) is at approximately 157 beats/min. = (220 age) x 0.9.



4.1 General Instructions

↑ WARNING

- + The storage location should be chosen so that improper use by third parties or children can be prevented.
- + If your equipment does not have transportation wheels, the equipment must be disassembled before transportation.

ATTENTION


Make sure that the equipment is protected from moisture, dust and dirt in the selected storage location. The storage location should be dry and well ventilated and have a constant ambient temperature between 10°C and 35°C.

4.2 Transportation Wheels

ATTENTION

If you want to transport your equipment over particularly sensitive and soft floor coverings, such as parquet, planks or laminate, lay out the transport route with cardboard or similar to avoid possible floor damage.

- Stand behind the equipment and lift it until the weight is transferred to the transportation 1. wheels. After that, you easily can move the equipment to a new position. For long transport distances the equipment should be disassembled and safely packed.
- 2. Select the new location by following the instructions in the section 1.4 of this manual.



5.1 General Instructions

MARNING

+ Do not make any improper changes to the equipment.

CAUTION

+ Damaged or worn components may affect your safety and the life of the equipment. Therefore, immediately replace damaged or worn components. In such a case, contact the contract partner. The equipment must not be used until it has been repaired. If necessary, use only original spare parts.

ATTENTION

+ In addition to the instructions and recommendations for maintenance and care given here, additional service and/or repair work may be necessary; this must only be carried out by authorised service technicians.

5.2 Faults and Fault Diagnosis

The equipment undergoes regular quality controls during production. Nevertheless, faults or malfunctions may occur. Frequently, individual parts are responsible for these disturbances, an exchange is usually sufficient. Please refer to the following overview for the most common errors and how to correct them. If the equipment still does not function properly, contact your contract partner.

Fault	Cause	Solution	
Drive disks wobble/ make noises	Drive disk loose	Tighten nut (pay attention to left-hand / right-hand thread)	
Display is blank/is not working	Loose cable connections	Check cable connections	
Equipment wobbles	Equipment is not level	Align the feet	
Creaking noises on the stepping area	Loose screws on stepping area	Tighten the screws on the stepping area	
Creaking noises	Screw connections loosened or too tight	Check screw connections	
Squeaking noises on the guide rails	Guide rails or rollers dirty or guide rails dry	Clean the guide rails and then lubricate them with a suitable lubricant	

	+	Sources of interference in the room	+	Eliminate sources of interference (e.g. mobile phone, WLAN, lawn mower and vacuum cleaner robot, etc)
	++	unsuitable chest strap Wrong position of chest	+	Use a suitable chest strap (see RECOMMENDED ACCESSORIES).
No pulse display	+	strap Chest strap defective or	+	Reposition chest strap and/or moisten electrodes
		battery empty	+	Changing batteries
	+	Pulse display defective	+	Check if pulse display by hand pulse possible

5.3 Error Codes and Troubleshooting

The electronics of the equipment continuously carries out tests. In case of deviations, an error code appears on the display and normal operation is stopped for your safety.

Please contact the contract partner for technical support.

5.4 Maintenance and Inspection Calendar

To avoid damage from sweat, the equipment must be cleaned with a damp towel (no solvents!) after each training session.

The following routine tasks must be performed at the specified intervals:

Part	Weekly	Monthly	Quarterly		
Display console	С	I			
Slide rails*		С			
Lubrication of slide rails and moving parts*			I		
Plastic covers	С	I			
Screws and cable connections		I			
Legend: C = clean; I = inspect					

^{*}Make sure to always clean the slide rails and moving parts before re-lubricating.

By scanning the QR-code with the camera function or QR-code scanner app of your smartphone/tablet, a video on general maintenance of a crosstrainer opens on YouTube. The video serves to illustrate the maintenance points described in this manual.



Please note that the video may not be available in your language or with appropriate subtitles.

If you cannot scan QR-codes, you can access all Fitshop videos on YouTube by first opening YouTube and entering "Fitshop" in the search field.

6

DISPOSAL

At the end of its operational life, this equipment cannot be disposed of in normal household waste. Instead, it must be disposed of via an electricals recycling centre. Further information can be obtained from your local authority's recycling service.



The materials can be recycled as per their symbols. Through the reuse, recycling of materials or other forms of recovery of old equipment, you make an important contribution to the protection of the environment.

7

RECOMMENDED ACCESSORIES

To make your training experience even more efficient and pleasant, we recommend that you add suiting accessories to your fitness equipment. For elliptical cross trainers this could for example be a **floor mat**, which makes your fitness equipment stand more securely and also protects the floor from sweat or **silicone spray** to keep moving parts in good shape.

If you have purchased a fitness machine with pulse training and want to train your heart rate, we strongly recommend that you use a compatible **chest strap**, as this ensures optimum transmission of the heart rate.

Our range of accessories offers the highest quality and makes training even better. If you would like to find out more about compatible accessories, please go to the detail page of the product in our webshop (the easiest way is to enter the article number in the search field above) and go to the recommended accessories on this page. Of course, you can also contact our customer service: by telephone, e-mail, in one of our branches or via our social media channels. We will be happy to advise you!





chest strap contact gel

silicone spray

8.1 Serial Number and Model Name

In order to provide you with the best possible service, please have the model name, article number, serial number, exploded drawing and parts list ready. The corresponding contact options can be found in chapter 10 of this operating manual.

(i) NOTICE

The serial number of your equipment is unique. It's located on a white sticker. The exact position of this sticker is shown in the following illustration.



Enter the serial number in the appropriate field.

erial number:	
rand / Category:	
cardiostrong / crosstrainer	
lodel Name:	
EX80	
rticle Number:	
CST-EX80-3	

8.2 Parts List

А		Qty.	No.	Specification	Qty.
	MAIN FRAME	1	A31	FLAT KEY	2
A1	SENSOR WIRE 1000mm	1	A32	SCREW	2
A2	CONNECTION SLICE	2	A33	TURING PLATE	2
А3	MOTOR	1	A34	PRESSING PIPE	1
A3-1	SCREW	4	A35	BEARING 6003zz	2
A4	DC WIRE 900mm	1	A36	C LIP	1
A5	NUT	1	A37	NUT M12	3
A6	SENSOR WIRE 100mm	1	A38	WASHER M12	4
A7	SENSOR WIRE HOUSING	1	A39	AXLE	1
A8	SCREW	1	A40	BEARING 6001MRB	2
A9	SCREW M8 x 45	1	A41	BUSH	1
A10	NUT M8	1	A42	FLYWHEEL	1
A11	SCREW M6 x 20	1	A43	FLYWHEEL COVER	2
A12	NUT M6	1	A44	SCREW M4 x 16	6
A13	END CAP	2	A45	MAGNETIC HOUSING	1
A14	FIX CUSHIION	2	A47	WASHER M8	1
A15	WASHER M6	2	2 A48 NUT M8		1
A16	SCREW M5 x 16	2	2 A49 SCREW M5 x 10		4
A17	WHEEL	2	A50	FRONT PEDAL SUPPORTING TUBE	2
A18	NUT M8	2	A51	A51 MAGNETIC	
A19	SCREW M8 x 45	2	A52	A52 SCREW M5 x 8	
A20	BELT WHEEL	1	A53	STICKER	2
A21	MAGNETIC	1	A54	SIDE DECORATION HOUSING	2
A22	AXLE	1		SET (L)	<u> </u>
A23	SCREW M8 x 25	4	A55	SIDE DECORATION HOUSING SET (R)	2
A24	NUT M8	4	A56	SCREW	16
A25	BUSH	1	A57	BATTERY COVER	4
A26	BEARING 6005zz	2	A58	PUSH ROD BRACKET (L)	2
A27	BUSH	1	A59	PUSH ROD BRACKET (R)	2
A28	BEARING NUT	1	A60	KNOB	2
A29	BELT 1372J	1	A61	NYLON SLEEVE	8
A30	CRANK	2	A62	BOLT M8 x 20	8

A63	NUT M8	8	A100	C CLIP R40	2
A64	WASHER M8	8	A101	END CAP	1
A65	BOLT M12 x 53	2	A102	END CAP	1
A66	CRANK CONNECTING SHAFT	2	A103	MAGNTIC HOUSING	2
A68	PLASTIC COVER	2	A104	MAGNTIC HOUSING	2
A69	BEARING SLEEVE	4	A105	TENSION CABLE	1
A71	BEARING 6201zz	10	B1	PEDAL SUPPORTING TUBE (L)	1
A72	SCREW M12 x 73	4	B2	PEDAL SUPPORTING TUBE (R)	1
A73	WASHER M12	4	B3	PEDAL HOUSING (L)	2
A74	NUT M12	4	B4	PEDAL HOUSING (R)	2
A75	OSCILLATING AXLE BASE (L)	1	B5	LOWER PEDAL SUPPORING TUBE	2
A76	OSCILLATING AXKE BASE (R)	1	B6	SCREW M12 x 109	2
A77	HANDLEBAR SUPPORTING COVER	2	B7	WASHER M12	4
A78	BEARING 6004zz	2	B8	NUT M12	4
A79	BEARING 6905zz	2	B9	PEDAL BRACKET (L)	1
A80	FRONT CONNECTING SHAFT	2	B10	PEDAL BRACKET (R)	1
A81	BUSH	4	B11	PEDAL REST (L)	1
A82	BUSH	8	B12	PEDAL REST (R)	1
A83	C CLIP R36	12	B13	FRONT COVER PEDAL (L)	1
A84	BEARING SLEEVE	12	B14	CUSHION PAD (L)	1
A85	SCREW M12 x 53	2	B15	PEDAL(L)	1
A86	WASHER M12	4	B16	SCREW M4 x 15	6
A87	NUT M12	4	B17	SCREW M6 x 10	8
A88	BEARING 2203	2	B18	PEDAL (R)	1
A89	WASHER M10	2	B19	CUSHION PAD (R)	1
A90	NUT M10	2	B20	FRONT COVER PEDAL (R)	1
A91	END CAP Φ36.95	2	B21	UPPERCAPFORPEDALSUPPORT-	2
A92	CRANK HOUSING	2	<u> </u>	ING	
A93	SCREW	2	B22	LOWERCAPFORPEDALSUPPORT-	2
A94	MAIN CHAIN COVER (L)	1	B23	SCREW	2
A95	MAIN CHAIN COVER (R)	1	B24	MIDDLE PEDAL SUPPORTING	2
A96	SMALL CHAIN COVER (L)	1	DZT	ROD	
A97	SMALL CHAIN COVER (R)	1	B25	NUT M8	4
A98	SCREW 5/32"* 3/4"	12	B26	BUSH	8
A99	SCREW 5/32"* 1/2"	12	B27	BEARING 6201 ZZ	4


B28	C CLIP	8	F4	CENTRALSUPPORTINGTUBECOV-
B29	SCREW M8 x 40	4		ER(R)
B30	SCREW M12 x 133	2	F5	SCREW
B31	BUSH	2	F6	SCREW
B32	BEARING 6003zz	4	G	CONSOLE
B33	BUSH	2	G1	SCREW
B34	SCREW	4	Н	WATER BOTTLE HOLDER
B35	PEDAL REINFORCEMENT STRIP	4	J1	SCREW M8 x 16
B36	SCREW	8	J2	SCREW M8 x 60
C1	SIDE CONNECTING TUBE (L)	1	J3	BOLT M12 x 73
C2	SIDE CONNECTING TUBE (R)	1	J4	NUT M12
C3	ADJUSTED NUT	2	J5	BOLT M12 x 109
C4	ADJUSTED END	2	J6	SCREW M5
D	CONSOLE SUPPORTING TUBE	1	J8	SCREW M8 x 20
D1	SENSOR WIRE 350mm	1	J9	WASHER M12
D2	HANDL PULSE RING	2	J10	SCREW
D3	HANDL PULSE WIRE 650mm	2	J11	SCREW
D4	SPACER RING	2	ı	ADAPTOR
D5	HANDLE PULSE	4	P1	MAINTENANCE COVER
D6	UPPER HANDLE PULSE HOUSING	2	P2	BEARING 6003zz
D7	LOEWR HANDLE PULSE HOUSING	2	P3	BUSH
D8	HANDLE PULSE RING	2	P4	SCREW M8 x 20
D9	FOAM SPACER RING	2	P5	SPRING
D10	SPONG HDR	2	P6	SPRING WASHER M8
	SPONG HDR		P7	STICKER
D11		2	P8	STICKER
D12	SCREW M3 x 8	4		
D13	END CAP	2		
E1	HANDLE BAR (L)	1	ļ	
E2	HANDLE BAR (R)	1	ļ	
E3	END CAP	2		
E4	SPONG HDR	2		
F1	CENTRAL SUPPORTING TUBE	1		
F2	IRON BRACKET	1	Į	


EX80

F3

ER(L)

CENTRALSUPPORTINGTUBECOV-





Products from cardiostrong® are subject to strict quality control. However, if a fitness equipment purchased from us does not work perfectly, we take it very seriously and ask you to contact our customer service as indicated. We are happy to help you by phone via our service hotline.

Error Descriptions

Your fitness equipment is developed for long-term, high-quality training. However, should a problem arise, please first read the operating instructions. For further assistance, please contact your contract partner or call our service hotline. To ensure your problem is solved as quickly as possible, please describe the defect as exactly as possible.

In addition to the statutory warranty, we provide a warranty for every fitness equipment purchased from us according to the following provisions.

Your statutory rights are not affected.

Warrantee

The warrantee is the first/original buyer and/or any person who received a newly purchased product as a gift from the original buyer.

Warranty period

The warranty periods, shown on our web shop, begin on delivery of the fitness equipment. The respective warranty periods for your equipment can be found on its product website.

Repair Costs

According to our choice, there will either be a repair, a replacement of individual damaged parts or a complete replacement. Spare parts, that have to be mounted while assembling the equipment, have to be replaced by the warrantee personally and are not a part of repair. After the expiration of the warranty period, the responsibility for parts costs, repair costs, installation costs and delivery costs lies with the warranty holder.

The terms of use are defined as follows:

- + Home use: solely for private use in private households up to 3 hours per day
- + Semi-professional use: up to 6 hours per day (e. g. rehabilitation centres, hotels, clubs, company gyms)
- + Professional use: more than 6 hours per day (e. g. commercial gyms)

Warranty Service

Within the warranty period, equipment which develops faults as a result of material or manufacturing defects, will be repaired or replaced at our discretion. Ownership of equipment or parts of equipment which have been replaced is transferred to us. The warranty period is not extended nor does a new warranty period begin following repair or replacement under the warranty.

Warranty Conditions

For the warranty to be valid, the following steps must be taken:

Please contact our customer service by email or phone. If the product under warranty has to be sent in for repair, the seller bears costs. After expiry of the warranty, the buyer bears the costs of transport and insurance. If the fault is covered by our warranty, you will receive a new or repaired equipment in return.

Warranty claims are invalid in case of damage resulting from:

- + misuse or improper handling
- + environmental influences (moisture, heat, electrical surge, dust, etc.)
- + failure to follow the current safety measures for the equipment
- + failure to follow the operating instructions
- + use of force (e. g. hitting, kicking, falling)
- + interventions which were not carried out by one of our authorized service centres
- + unauthorised repair attempts

Proof of Purchase and Serial Number

Please make sure that you are able to provide the appropriate receipt when claiming on your warranty. So that we can clearly identify the model of your equipment, and for the purposes of our quality control, you will need to give the serial number of your equipment, when contacting the service team. Where possible please have your serial number and your customer number ready when you call our service hotline. It will help us to deal with your request swiftly.

If you cannot find the serial number on your fitness equipment, our service team is at your disposal to offer further information.

Service outside of the Warranty Period

We are also happy to issue an individual cost estimate if there is a problem with your fitness equipment after the warranty has expired, or in cases which do not fall under the terms of the warranty, e. g. normal wear and tear. Please contact our customer service team to find a quick and cost-effective solution to your problem. In such a case you will be responsible for the delivery costs.

Communication

Many problems can be solved just by speaking to us as your specialist supplier. We know how important it is to you as a user of the fitness equipment to have problems solved quickly and simply, so you can enjoy working out with minimal interruption. For that reason, we also want to resolve your queries quickly and in a straightforward manner. Thus, please always keep your customer number and the serial number of the faulty equipment handy.

DE	DK	UK
TECHNIK	TEKNIK OG SERVICE	CUSTOMER SUPPORT
+49 4621 4210-900 +49 4621 4210-698	& 80 90 16 50 +49 4621 4210-945	© 00800 2020 2772 +494621 4210 944
technik@fitshop.de	info@fitshop.dk	info@fitshop.co.uk
Öffnungszeiten entnehmen Sie unserer Homepage.	Åbningstider kan findes på hjemmesiden: https://stg.fit/statit7	You can find the opening hours on our homepage: https://stg.fit/statitc
SERVICE	FD	<u>ר</u>
& 0800 20 20277	FR	BE
(kostenlos)	TECHNIQUE & SERVICE	TECHNIQUE & SERVICE
04621 4210 - 0	& +33 (0) 189 530984	& 02 732 46 77
info@fitshop.de	+49 4621 42 10 933	+49 4621 4210 933
Öffnungszeiten entnehmen Sie unserer Homepage:	info@fitshop.fr	info@fitshop.be
https://stg.fit/statita	Vous trouverez les heures d'ouverture sur notre site Internet: https://stg.fit/statit4	Vous trouverez les heures d'ouverture sur notre site Internet: https://stg.fit/statit8
ES	NL	INT
TECNOLOGÍA Y SERVICIOS	TECHNISCHE DIENST & SERVICE	TECHNICAL SUPPORT & SERVICE
& 911 238 029	& +31 172 619961	& +49 4621 4210-944
info@fitshop.es	service@fitshop.nl	service-int@fitshop.de
Consulta nuestro horario de apertura en la página web: https://stg.fit/statit5	De openingstijden vindt u op onze homepage: https://stg.fit/statit3	You can find the opening hours on our homepage: https://stg.fit/statita
PL	AT	СН
DZIAŁ TECHNICZNY I SERWIS	TECHNIK & SERVICE	TECHNIK & SERVICE
& 22 307 43 21	& 0800 20 20277 (Freecall)	& 0800 202 027
+49 4621 42 10-948	+49 4621 42 10-0	+49 4621 42 10-0
info@fitshop.pl	info@fitshop.at	info@fitshop.ch
Godziny otwarcia można znaleźć na stronie głównej: https://stg.fit/statit6	Öffnungszeiten entnehmen Sie unserer Homepage: https://stg.fit/statitb	Öffnungszeiten entnehmen Sie unserer Homepage: https://stg.fit/statit9

Please find a detailed overview including address and opening hours for all stores of the Fitshop Group in Germany and abroad on the following website:

www.fitshop.com/en/stores


WE LIVE FITNESS

WEBSHOP AND SOCIAL MEDIA

Fitshop is Europe's largest specialist store for home fitness equipment with currently over 70 stores and one of the world's most renowned online mail order companies for fitness equipment. Private customers order via the 25 web shops in the respective national language or have their desired equpiment assembled on site. In addition, the company supplies fitness studios, hotels, sports clubs, companies and physio practices with professional equipment for endurance and strength training.

Fitshop offers a wide range of fitness equipment from renowned manufacturers, high-quality in-house developments and comprehensive services, such as a build-up service and sports scientific advice before and after the purchase. The company employs numerous sports scientists, fitness trainers and competitive athletes.

Visit us also on our social media platforms or our blog!



EX80 =

